

	PH-IGTR	Giga Ethernet, PCI Card /32 bit, Real-Tek,10/100/1000
	SW-2404BW	24-Port 100/10Mbps+2-Port Giga Copper+2-Port mini-GBIC+ VLAN + Trunking + Web Configure (Broadcom)
	MGBIC-MLC	Mini GBIC Module/Multi-Mode for SW-1604BW / SW - 2404BW
	MSW-2402G	Layer Management Switch 24x10/100M+2Giga Copper/Mini GBIC with Stackable
	SW-2402R	24-Port 100/10M Nway Switch + 2-Port Giga Copper/19" Rack- Mount ,Real-Tek
		تاریخ 87/6/5
	SW-208P	8 Port 100/10 M Nway Switch Hub
	SW-24R	24-Port 100/10M Nway Switch Hub/19" Rack Mount
	SW-24VT	24-Port Nway Switching Hub/19" Rack Mount with VLAN and Trunking
	SW-608GS	8-port Giga Switch / copper, SOHO metal
	SW-124CG	24-Port Giga Switch / Copper+ vlan + trunking +web configuration
	MC-100SC/TX	MC-100SC/TX 100/10Mbps Fiber SC to TX Multi-mode Bridge Convector, LLF
	MC-100SC/TX-S30	MC-100SC/TX-S30 100/10Mbps Fiber SC to TX single-mode Bridge Convector, (30Km),LLF

	WDM-1310/20	WDM-1310/20 100/10Mbps TX to 100Base FX (TX:1310um), WDM/20Km/SC type, LLF
	WDM-1550/20	WDM-1550/20 100/10Mbps TX to 100Base FX (TX:1500um), WDM/20Km/SC type, LLF
	MC-1GT/LX-10	MC-1GT/LX-10 1000Base-T to 1000Base-LX, 10KM,SC type, LLF
	MC-1GT/SX	MC-1GT/SX 1000Base-T to 1000Base-SX, SC Type, LLF
	MCC-1000	MCC-1000 19" Rack-mountable Chassis, Up to 10 Slots
	MCM-RPS	MCM-RPS Redundant Power Supply for MCC-1000
	UTM-208IV	Unified Threat Management for SOHO/SMB(2WAN+8LAN - firewall - IPS - Content Filtering - Qos - Load Blancer - IM/P2P+ Anti virus calme
	UTM-208I	Unified Threat Management for SOHO/SMB(2WAN+8LAN - firewall - IPS - Content Filtering - Qos - Load Blancer - IM/P2P
	VG-1440R	4-Port RJ-11 VoIP Gateway Router_4FXO)+1 WAN Port, SIP & H.323 Configurable
	VG-1422R	4Port RJ-11VOIP Gateway Router (2FXO +2FXS) + 1WAN Port ,SIP&h.323 Configurable
	VG-1413R	4-Port RJ-11 VoIP Gateway Router_1FXO+3FXS) + 1 WAN Port, SIP & H.323 Configurable
	VG-1404R	4-Port RJ-11 VoIP Gateway Router_4FXS)+1 WAN Port, SIP & H.323 Configurable
	VG-1422SP	SIP Proxy Server with VOIP Gateway Router (2FXO + 2 FXS + 1 WAN)

	IPP-121	IP Phone, 2 10/100 Switch Ports + 1 RJ-11 PSTN Port, SIP
	IPP-120	IP Phone, 2 10/100 Switch Ports , SIP
	ATA-S1	SIP Analogy Telephony Adapter, (1FXS, 1WAN,1LAN)
	ATA-S2	SIP Telephone Adapter (1WAN + 1LAN + 2FXS)
	ATA-P	SIP Telephone Adapter (1WAN + 1LAN + 1FXS + 1PSTN)
	WBIG-101P	Wireless Broadband Internet Gateway, 1 WAN + 1 LAN + Print Server (11Mbps)
	WBIG-104GI	Wireless Broadband Internet Gateway, 1 WAN + 4 LAN (Switch) (54Mbps)
	WBIG-634TRA	Wireless Broadband Internet Gateway,1WAN+4LAN+ADSL Modem2++802.11g 54MbpsAP,Annex A/B + Routing + Firewall + VPN pass
	BIG-334TRA	Broadband InternetGateway,1WAN+4LAN(Switch) +ADSL+ Modem Built-in, AnnexA/B + Routing + Firewall + VPN pass
	ADM-31UA	USB ADSL Modem .Annex A/B
	ADSL Splitter	ADSL micro filter (splitter) 2 port
	ADSL Splitter	ADSL micro filter 1 port










تاریخ 27 ر 06 87









	WD-2.4 G	Wi-Fi Detector with IEEE 802.11b/g WirelessUSB
	WLU-805G	IEEE 802.11G 54Mbps High Power USB Adapter + 10dBi Patch Antenna Integrand
	WLU-703Z	IEEE 802.11G 54Mbps USB Adapter
	HWL- PCIG/RL	IEEE802.11g 54Mbps PCI Card/External Antenna
	WLU-703G	IEEE802.11g 54Mbps USB Adapter + Swivel USB Cable
	WLU-713AG	IEEE802.11a/g 108Mbps USB Adapter
	WLU-803G	IEEE802.11g 54Mbps High Power USB Adapter + 5dBi Omni Antenna (Reverse SMA Connector) (EIRP=23dBm)
	WLU-804G	IEEE802.11g 54Mbps High Power USB Adapter + 5dBi Shiny Omni Antenna (EIRP =23dBm)
	WL-2054G	IEEE802.11g 54Mbps PC Card/200mW

	WAP-454G	IEEE802.11g 54Mbps 100mW High Power Access Point with full functions,indoor
	WAP-454GP	IEEE802.11g 54Mbps 200mW High Power Access Point with full functions,indoor
	WAP-654G	IEEE802.11g 54Mbps 200mW High Power Access Point with full functions,(Client WDS), Detachable Antenna, W/Reverse SMA Connector
	WAP-654GP	IEEE802.11g 54Mbps 200mW High Power Access Point with full functions,(Client WDS), Detachable Antenna, W/Reverse SMA Connector , POE Built-in
	WAP-554G	IEEE802.11g 54Mbps SOHO Access Point with Bridge & Repeater & AP Client(RealTek)Detachable Antenna, W/Reverse SMA Connector
	WLn-201	IEEE 802.11n PCI Card/2T3R Antenna
	WLn-301	IEEE802.11n USB Adaptor/1T2R Antenna


	WLn-501(EU)	IEEE 802.11n 300M AP/ Bridge With 5 Port 10/100M Switch and Radius Server
	DWAP-011AG	IEEE802.11a+g 54/108Mbps Access Point Bridge,indoor
	WAS-2405G	Wireless Application Solution for PnP Point to Point/Point to Multi-Points Connection,2.4G,54Mbps/500mW/18dBi Panel Antenna-Integrated Outdoor Bridge(802.11b/g)
	WAS-1023	Wireless Application Solution for PnP Point to Point Connection 2.4G ,11Mbps/1W/18dBi Panel Antenna-Integrated Outdoor Bridge
	CPE-2023A	IEEE802.11a 54/108Mbps Integrated Wireless CPE with 20dBm Radio, 23dBi Antenna EIRP=43dBm (AP, Bridge, WDS), W/TPC
	CPE-2000AN	IEEE802.11a 54/108Mbps Wireless CPE with 20dBm Radio, N-Type Connector (AP, Bridge,WDS), W/TPC
	CPE-2018G	Outdoor Wireless ,IEEE802.11g,54Mbps,200mW High Power Access Point , 18dBi Intrgrated Panel Antenna ,POE

	WAS-5801AZ	Wireless Application Solution for PnP Point to Point/Point to Multi-Points Connection,5.8G,54Mbps Antenna-Integrated Outdoor Bridge(802.11a,Super A supported)
	WLO-2405G	2.4GHz/ 54Mbps AP / Bridge , Outdoor Unit (500mW)for PTP,PTMP(802.11b/g)
	WLO -2410	IEEE 802.11b 11Mbps AP / Bridge Outdoor Unit (1W)
	ODU-018DIY	Outdoor Wireless DIY Kit W/18dBi Integrated Panel Antenna
	ODU-5818DIY	Outdoor Wireless DIY Kit W/18dBi Integrated Panel Antenna(5.2 to5.8GHz)
	ANT-105OS	Omni Antenna /5 dB,Reverse SMA connector(Male) W/50cm RG-316 Cable/2.4G,W/Magnetic stand,indoor
	ANT -108ON	Omni Antenna / 8dB, N-Type Female connector.outdoor
	ANT -015ON	Omni Antenna / 15dB, N-Type Female connector.outdoor

	ANT-015GS	Grid Parabolic Antenna/15 dB,SMA Female connector.outdoor,2.4
	ANT-118PN	Panel Directional Antenna/18dB,N-Type Female connector.outdoor,2.4
	LA-2.4G/GT	Lightning Protector (Gas Tube)
	LA-5.xG/GT	Lightning Protector (Gas Tube), 5.0 ~ 5.8GHz
	ANT58-018PN	Panel Directional Antenna / 18 dB,N-Type Female Connector,5.25~5.85GHz
	ANT58-023PN-B	Panel Directional Antenna / 23 dB,N-Type Female Connector,4.9~5.875GHz
	ANT58-026DN	Dish Parabolic Antenna / 26 dB,N-Type Female Connector,5.725~5.875GHz
	ANT-58-017SN	Sector Antenna /17 dB,N-type Female Connector 5.8
	ANT-216 SN	Sector Antenna /16 dB,N-type Female Connector 2.4

	ANT-018ASN	Sector Antenna /Adjustable Gain 12~18 dBi,N-type Female Connector
	ANT58-012ON	Omni-DirectionalAntenna/12dB,N-Type Female Connector,5.5~5.85 GHz
	ANT-007PS1	Panel Directional Antenna /7db,Reverse SMA connector W/100cm RG-316 Cable /2.4G W/ Megnetic Stand
	ANT-008OSC	Omni Antenna / 8dB, Reserve SMA Connector (Male)
	ANT-015C	Corner Antenna / 15 dB, Reverse SMA connector W/ 30cm RG-316 Cable
	ANTM-005OS	Omni Antenna/5dB,Reverse SMA connector W/150cm RG-316 Cable/ Multi Frequency 2.4G & 5.2G & 5.8G
	ANTM-007PS	Panel Directional Antenna/7db,Reverse SMA connector W/150cm HPP100 Cable/Multi Frequency 2.4G & 5.2G & 5.8G
	ANT-105CL	Ceiling Antenna/5dB Reverse SMA Connector W/ 30cm RG-316 Cable /2.4G

	ANT-012C	Corner Antenna / 12 dB, Reverse SMA connector W/ 30cm RG-316 Cable
	POE-48PI	IEEE 802.3af Power over Ethernet, 48V Power Injector Only
	POE-12/2.5-1	IEEE 802.3af Power over Ethernet, 48V Power Injector and Splitter (12V, 2.5/5.5)
	POE-5.0/2.1	IEEE 802.3af Power over Ethernet, 48V Power Injector and Splitter (5V, 2.1Ø/5.5Ø)
	WSS-202	2.4GHz 2-Way Signal Splitter Outdoor
	WSS-203	2.4GHz 3-Way Signal Splitter Outdoor
	IPA-2.4 G/A	IEEE802.11B/G Indoor Wireless Amplifier for 500/200/100mW (Adjustable Output Power)
	PA-2.4G/1.0W	Booster & DC Injector for 2.4GHz Wireless LAN, 1W, N-Type
	PA-2.4G/2.0W	Booster & DC Injector for 2.4GHz Wireless LAN, 2W, N-Type

	<p>PA- 2.4G/4.0W</p>	<p>Booster & DC Injector for 2.4GHz Wireless LAN,4W, N-Type</p>
	<p>HEXIN-2108H</p>	<p>محافظ پورت اترنت Ethernet Protector</p>